

TÜRKİYE ODALAR VE BORSALAR BİRLİĞİ



Dumlupınar Bulvarı No:252 (Eskişehir Yolu 9. Km.) 06530 /ANKARA

www.tobb.org.tr - tobb@hs01.kep.tr

Sayı : E-34221550-611.99-620

**Tarih**: 17.01.2024

Konu : Kritik hammaddeler tüzüğü ve SKDM geçiş dönemi varsayılan değerleri hk.

## TÜM ODA VE BORSALARA (Genel Sekreterlik)

Ticaret Bakanlığı tarafından Birliğimize iletilen yazılarda; Kritik Hammaddeler Tüzüğü ve SKDM Geçiş Dönemi Varsayılan Değerleri hakkında bilgi verilmektedir.

Kritik Hammaddeler Yasa taslağında, anılan hammaddelerin AB'nin yıllık tüketiminin en az %10'una karşılık gelen kısmının AB'de üretilmesi, en az %40'ının AB'de işlenmesi ve en az %25'inin ise geri dönüşümden elde edilmesi, her bir stratejik hammaddenin tüketiminin %65'inden fazlasının tek bir üçüncü ülkeden tedarik edilmemesi hedeflenmektedir.

Sınırda Karbon Düzenleme Mekanizması (SKDM) kapsamında ise, 1 Ekim 2023 ile 31 Aralık 2025 tarihleri arasını kapsayan geçiş dönemi boyunca ithal ürünlerde gömülü emisyonların belirlenmesi amacıyla kullanılabilecek varsayılan değerlere ilişkin rehber yayınlandığı bildirilmektedir.

Ticaret Bakanlığının Birliğimize ilettiği söz konusu yazılar ve ekleri, ekte sunulmakta olup; üyelerinize duyurulmasını rica ederim.

Saygılarımla,

*e-imza* Cengiz DELİBAŞ Genel Sekreter Yardımcısı

EK:

- 1- Kritik Hammaddeler Tüzüğü (3 sayfa)
- 2- SKDM Geçiş Dönemi Varsayılan Değerler (2 sayfa)
- 3- SKDM-Komisyon Açıklaması (2 sayfa)
- 4- SKDM-Rehber (25 sayfa)





## T.C. TİCARET BAKANLIĞI Uluslararası Anlaşmalar ve Avrupa Birliği Genel Müdürlüğü

Sayı : E-79668890-749-00092801529 Konu : Kritik Hammaddeler Tüzüğü

# DAĞITIM YERLERİNE

AB Komisyonu Başkan Yardımcısı Maroş Şefçoviç ile İç Pazar Komiseri Thierry Breton'un daveti üzerine, stratejik hammadde projelerine ilişkin yüksek düzeyli bir yuvarlak masa toplantısı yirmi stratejik hammadde projesinin temsilcilerinin katılımıyla 8 Aralık 2023 tarihinde Brüksel'de düzenlenmiştir. Konuya dair AB Komisyonunca yapılan açıklamada öne çıkan hususlar aşağıda sunulmaktadır:

- Hammaddelere ve bataryalara dair Avrupa'daki ittifakların yardımıyla seçilen projeler, Avrupa'da ve AB'nin hammaddeler konusunda stratejik ortaklıklar kurduğu ülkelerdeki üretim, işleme ve geri dönüşüm potansiyelini temsil etmektedir. Söz konusu projelerin AB'nin Kritik Hammaddeler Yasasıyla altı çizilen hedeflerine ulaşma çabalarında önemli bir rol oynaması beklenmektedir.
- Toplantıda temsil edilen hammadde sektörleri arasında lityum (Almanya, Çekya, İspanya, Finlandiya) ve kritik nadir toprak elementleri (Estonya, Polonya) ile geri dönüşüm sektörleri (Fransa, İtalya, İsveç, Romanya) yer almıştır. Ayrıca, ortak konumundaki ülkeler Grönland'da bir molibden madenciliği projesi; Norveç'te bir doğal grafit projesi; Kazakistan'dat ungsten sahaları; Kanada'da bir nadir toprak elementi üretim ve işleme projesive Arjantin'de bir lityum tuzlu su çıkarma ve işleme projesi üzerinde çalışacaklardır.Komisyon tarafından seçilen tüm projelerin 2030'dan önce başlaması beklenmektedir.
- Kritik Hammaddeler Yasası yürürlüğe girdiğinde, 2024 yılında başlatılması beklenen "Stratejik Projeler" için ilk başvuru çağrısı için anılan projelerin ve diğer proje temsilcilerinin gerekli hazırlıkları yapması beklenmektedir.

AB Komisyonu Başkanı Ursula von der Leyen tarafından 2022'de duyurulan ve Komisyon tarafından Mart 2023'de sunulan Kritik Hammaddeler Yasası taslağı üzerinde Komisyon, AB Konseyi ve Avrupa Parlamentosu (AP) arasında devam eden üçlü müzakerelerde 13 Kasım 2023 tarihinde siyasi uzlaşı sağlanmıştı.

Bahse konu siyasi uzlaşı 12 Aralık günü AP'de onaylanmış olup, halihazırda uzlaşının Konsey tarafından resmi olarak onaylanması ve onaylanan metnin AB Resmi Gazetesinde yayımını takip eden yirminci günde yürürlüğe girmesi beklenmektedir.

Bu belge güvenli elektronik imza ile imzalanmıştır.

Belge Doğrulama Kodu: BA8F6B0F-A924-479B-B7E4-91A848253D5F Adres: T.C. Ticaret Bakanlığı Söğütözü Yerleşkesi (Merkez Bina) Söğütözü Mah. 2176. Sk. No:63 06530 Çankaya Ankara Telefon No: 03122049067 Faks No: 03122128741 e-Posta: e.selek@ticaret.gov.tr Internet Adresi: www.ticaret.gov.tr KEP Adresi:

https://www.turkiye.gov.tr/ticaret-bakanligi-ebys

Ayrıntılı bilgi için: Esma SELEK Ticaret Uzman Yardımcısı Telefon No: 03122049067



Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzaladmıştır.

Yasada, hammaddeler kritik ve stratejik olarak sınıflandırılmaktadır. Yasa çerçevesinde, stratejik hammaddeler listesinin, yeşil ve dijital dönüşümü destekleyen stratejik teknolojilerde veya savunma veya uzay uygulamalarında kullanımları dikkate alınarak yüksek stratejik öneme sahip olan ve küresel arz ile öngörülen arz arasında dengesizlik bulunması söz konusu olan hammaddeleri içermesi öngörülmektedir. Öte yandan, kritik hammaddeler listesinin ise, tüm stratejik hammaddelerin yanı sıra AB ekonomisinin geneli için yüksek öneme sahip olan ve tedarik kesintisi riskinin yüksek olduğu diğer hammaddeleri de içermesi öngörülmektedir.

Kritik Hammaddeler Yasa taslağında, anılan hammaddelerin AB'nin yıllık tüketiminin en az %10'una karşılık gelen kısmının AB'de üretilmesi, en az %40'ının AB'de işlenmesi ve en az %25'inin ise geri dönüşümden elde edilmesi, her bir stratejik hammaddenin tüketiminin %65'inden fazlasının tek bir üçüncü ülkeden tedarik edilmemesi hedeflenmektedir.

Bilgilerini rica ederim.

Bahar GÜÇLÜ Bakan a. Genel Müdür Yardımcısı

Bu belge güvenli elektronik imza ile imzalanmıştır.

https://www.turkiye.gov.tr/ticaret-bakanligi-ebys



## Dağıtım:

Türkiye Odalar ve Borsalar Birliği Genel Sekreterliğine (TOBB) Türkiye İhracatçılar Meclisine (TİM) Deik Dış Ekonomik İlişkiler Kuruluna (DEİK) Türk Sanayici ve İşadamları Derneği Genel Sekreterliği (TÜSİAD) Müstakil Sanayici ve İşadamları Derneği Genel Sekreterliğine (MÜSİAD) Türkiye İşveren Sendikaları Konfederasyonuna (TİSK) Türkiye Müteahhitler Birliğine (TMB) Uluslararası Yatırımcılar Derneğine (YASED) Organize Sanayi Bölgeleri Üst Kuruluşuna (OSBÜK)

Bu belge güvenli elektronik imza ile imzalanmıştır.

https://www.turkiye.gov.tr/ticaret-bakanligi-ebys

Ayrıntılı bilgi için: Esma SELEK Ticaret Uzman Yardımcısı Telefon No: 03122049067



Gelen Evrak Tarih Sayı: 10.01.2024 - 1613



# T.C. TİCARET BAKANLIĞI



10.01.2024

Uluslararası Anlaşmalar ve Avrupa Birliği Genel Müdürlüğü

: E-79668890-740-00092832899 Sayı Konu : SKDM Geçiş Dönemi Varsayılan Değerler

# **DAĞITIM YERLERİNE**

Avrupa Birliği (AB) Komisyonu tarafından 22 Aralık 2023 tarihinde, Sınırda Karbon Düzenleme Mekanizması SKDM) kapsamında, 1 Ekim 2023 ile 31 Aralık 2025 tarihleri arasını kapsayan geçiş dönemi boyunca ithal ürünlerde gömülü emisyonların belirlenmesi amacıyla kullanılabilecek varsayılan değerlere ilişkin rehber yayınlanmıştır.

Bu çerçevede; ilk üç aylık rapor döneminde (2023 yılının 4. çeyreği ve 2024 yılının 1. ve 2. çeyreği), beyan sahiplerinin Komisyon tarafından miktar sınırı olmaksızın sunulan ve yayınlanan varsayılan değerlere dayalı olarak gömülü emisyonları raporlayabileceği; 2024 yılının 3. çeyreğinden 2025 yılının sonuna kadar, beyan sahiplerinin kompleks ürünler için, toplam gömülü emisyonların %20'si ile sınırlı olmak üzere emisyonları varsayılan değerlere dayalı olarak raporlamaya devam edebileceği; varsayılan değerlerin, ilk raporlama döneminde toplanan veriler ile birlikte AB ve üçüncü ülke operatörlerinden gelen geri bildirimler ışığında düzenli olarak güncelleneceği; ayrıca, Komisyon'un, raporlama yükümlülüklerinin daha da basitleştirilmesi için belirli iyileştirmeler sunulduğu ve sunulmaya devam edileceği belirtilmiştir.

Bilgilerini ve üyelerinizin konuya ilişkin bilgilendirilmesi hususunda gereğini rica ederim.

Hüsnü DİLEMRE Bakan a. Genel Müdür

Ek: 1- Komisyon Açıklaması 2- Rehber

# Dağıtım:

Türkiye Odalar ve Borsalar Birliğine Dış Ekonomik İlişkiler Kuruluna Türk Sanayicileri ve İş İnsanları Derneğine Müstakil Sanayici ve İşadamları Derneği Genel Sekreterliğine Uluslararası Yatırımcılar Derneğine Türkiye İşveren Sendikaları Konfederasyonuna Organize Sanayi Bölgeleri Üst Kuruluşuna

Bu belge güvenli elektronik imza ile imzalanmıştır.

Belge Doğrulama Kodu: 54558958-C062-498B-8F77-1B6E5EEA0AC4 Adres: Söğütözü Mah. 2176. Sk. No:63 06530 Cankaya/Ankara Telefon No: 03122048811 Faks No: 03122048811 e-Posta: oktemo@ekonomi.gov.tr İnternet Adresi: www.ticaret.gov.tr KEP Adresi:

https://www.turkiye.gov.tr/ticaret-bakanligi-ebys

Özge ÖKTEM Ticaret Uzmanı Telefon No: 03122048811



Bu belge güvenli elektronik imza ile imzalanmıştır.

Belge Doğrulama Kodu: 54558958-C062-498B-8F77-1B6E5EEA0AC4

Adres: Söğütözü Mah. 2176. Sk. No:63 06530 Çankaya/Ankara Telefon No: 03122048811 Faks No: 03122048811 e-Posta: oktemo@ekonomi.gov.tr İnternet Adresi: www.ticaret.gov.tr KEP Adresi:

https://www.turkiye.gov.tr/ticaret-bakanligi-ebys

Ayrıntılı bilgi için: Özge ÖKTEM Ticaret Uzmanı Telefon No: 03122048811





Business, Economy, Euro

# **Taxation and Customs Union**

NEWS ARTICLE | 22 December 2023 | Directorate-General for Taxation and Customs Union

# Commission publishes default values for determining embedded emissions during the CBAM transitional period and updated guidance on reporting obligations

On 22 December 2023, the Commission published the default values that can be used to determine embedded emissions in imported goods (except electricity) covered by Carbon Border Adjustment Mechanism (CBAM) during its transitional period which lasts until the end of 2025.

Default values play a specific role in CBAM implementation during the transitional period, in particular when importers do not have all the necessary information:

- 1. During the three first quarterly reports (Q4 of 2023 and Q1&2 of 2024), declarants may report embedded emission based on default values made available and published by the European Commission without quantitative limit;
- 2. From Q3 of 2024 and until the end of 2025, declarants can still report emissions based on estimations but only for complex goods and with a limit of 20% of the total embedded emissions. Using default values would qualify as 'estimation'.

These default values will be revised regularly after the end of the first reporting period for Q4 of 2023 (to be submitted by 31 January 2024), to take into account data collected in that first reporting period as well as feedback from EU industry and from non-EU producers of CBAM goods.

Besides the flexibilities foreseen in the CBAM regulation and in its implementing regulation for the transitional period, additional simplifications or facilities have been integrated or will be integrated soon in the online dedicated reporting tool, the CBAM transitional registry. These include:

- An option for recording emission data of a specific good to be reused in subsequent reports (feasible from the second quarterly report in April 2024);
- An option for reconducting the previous report updating the imported quantities;
- An option for reporting data based on an XML file to allow reporting declarants to automatise their own process to reuse previous reports data whenever appropriate;
- Clarification that for operators, the default reporting period is twelve months to allow them to collect representative data that reflects an installation's annual operations. The twelve-month reporting period may be either a calendar year or alternatively a fiscal year. However, operators may also choose an alternative reporting period of a least three months if the installation participates in an eligible MRV system and the reporting period coincides with the requirements of that MRV system.

The Commission will continue working on further simplifying reporting obligations and how to facilitate the submission of certain business data directly from the non-EU producers to the CBAM Registry before the second reporting period in 2024. The European Commission has also updated two written guidance documents to help importers and installation operators outside the EU to navigate the transitional period (1 October 2023 – 31 December 2025) with the reporting obligations.

The guidance documents are updated with clarifications and corrections especially for the timeline for the reporting periods, and quality of information in the CBAM reports e.g. information to be submitted for inward processing and production routes. The guidance documents are accompanied by an electronic template for information that may be used by installation operators to communicate information on the embedded emissions of their goods to the reporting declarants.

# Background

CBAM is the EU's landmark tool to fight carbon leakage and one of the central pillars of the EU's ambitious <u>Fit for 55 Agenda</u> . CBAM has two goals: to contribute to the EU achieving its ambitious climate policies and to encourage industry worldwide to embrace greener technologies, particularly in countries with less ambitious green standards.

In its transitional phase, CBAM will only apply to imports of cement, iron and steel, aluminium, fertilisers, electricity and hydrogen. EU importers of those goods will have to report on the volume of their imports and the greenhouse gas (GHG) emissions embedded during their production, but without paying any financial adjustment at this stage.

The objective of the transitional period is to serve as a pilot and learning period for all stakeholders (importers, producers and authorities) and to collect useful information on embedded emissions to refine the methodology for the definitive period. In a report in mid-2025, the Commission will draw the lessons of the transitional period from that information to refine the mechanism's scope and the methodologies for calculating embedded emissions before CBAM payments begin in 2026.

While importers are asked to collect data as of the fourth quarter of 2023, their first report will only have to be submitted by 31 January 2024 at the latest. These reports can be amended until 31 July 2024.

The Implementing Regulation on reporting requirements and methodology provides for some flexibility when it comes to the values used to calculate embedded emissions on imports during the transitional phase.

Until the end of 2024, companies will have the choice of reporting in three ways:

- full reporting according to the new methodology (EU method);
- reporting based on an equivalent method (three options) and
- reporting based on default reference values (only until July 2024, i.e for Q4 of 2023 and Q1&Q2 of 2024)

As of 1 January 2025, only the EU method will be accepted.

Default values for the transitional period of the CBAM between 1 October 2023 and 31 December 2025 (<u>https://taxation-customs.ec.europa.eu/system/files/2023-</u>12/Default%20values%20transitional%20period.pdf)

All information and guidance on CBAM

# Details



EUROPEAN COMMISSION DIRECTORATE-GENERAL TAXATION AND CUSTOMS UNION Indirect Taxation and Tax Administration CBAM, Energy and Green Taxation

Brussels, 22 December 2023

# DEFAULT VALUES FOR THE TRANSITIONAL PERIOD OF THE CBAM BETWEEN 1 OCTOBER 2023 AND 31 DECEMBER 2025

# CONTENTS

| 1        | INTRODUCTION  | 3  |
|----------|---|----|
| 2<br>The | DEFAULT VALUES FOR CBAM GOODS OTHER THAN ELECTRICITY IN<br>TRANSITIONAL CBAM PERIOD   | 5  |
| 2.1      | General   | 5  |
| 2.2      | Default values for the transitional period for iron and steel   | 7  |
| 2.3      | Default values for the transitional period for cement   | 16 |
| 2.4      | Default values for the transitional period for fertilisers  | 17 |
| 2.5      | Default values for the transitional period for aluminium  | 19 |
| 2.6      | Default values for the transitional period for hydrogen   | 21 |
|          | DEFAULT VALUES FOR DETERMINING INDIRECT EMISSIONS<br>BEDDED IN CBAM GOODS OTHER THAN ELECTRICITY IN THE<br>INSITIONAL CBAM PERIOD | 22 |
| 4<br>TRA | DEFAULT VALUES FOR ELECTRICITY AS CBAM GOOD IN THE<br>INSITIONAL CBAM PERIOD  | 23 |
| 5        | GLOSSARY  | 24 |

## **1** INTRODUCTION

The Carbon Border Adjustment Mechanism (CBAM) is an environmental policy instrument designed to support the EU climate ambitions of achieving a net reduction of greenhouse gas (GHG) emissions of at least 55% by 2030 and of reaching climate neutrality by 2050 at the latest. The CBAM will apply the same carbon price to imported goods as would be paid by installations operating in the European Union (EU). In doing so, the CBAM reduces the risk of the EU's climate objectives being undermined by production relocating to countries with less ambitious decarbonisation policies (so-called 'carbon leakage') and introduces a strong signal to producers in third countries to decarbonise.

The CBAM does not target countries, but the embedded greenhouse gas emissions of goods imported into the EU for a number of specific sectors that are within the scope of the EU Emissions Trading System (EU ETS) and that are at high risk of carbon leakage. These are: iron and steel, cement, fertilisers, aluminium, hydrogen and electricity. It also includes some precursors and some downstream products of the aforementioned sectors (hereinafter referred to as "CBAM goods").

CBAM will be introduced gradually. The transitional period from 1 October 2023 to 31 December 2025 is important to allow for a careful, predictable and proportionate transition for EU and non-EU businesses, as well as for public authorities. During this period, importers of CBAM goods will only have to report greenhouse gas emissions (GHG) embedded in their imports emissions embedded in their imported goods(direct and indirect emissions), without paying any financial payments or adjustments.<sup>1</sup> The monitoring and reporting rules for the transitional CBAM period are laid out in Implementing Regulation (EU) 2023/1773.<sup>2</sup> Verification of those emissions by an external third party will be purely voluntary.

The Implementing Regulation on reporting requirements and methodology provides for flexibility when it comes to the values used to calculate embedded emissions on imports during the transitional phase.

Until the end of 2024, companies will have the choice of reporting in three ways:

- (a) full reporting according to the new methodology (EU method);
- (b) reporting based on an equivalent method (three options) and

(c) reporting based on default reference values (only until July 2024, i.e for Q4 of 2023 and Q1&Q2 of 2024)

Regulation (EU) 2023/956 of the European Parliament and of the Council of 10 May 2023 establishing a carbon border adjustment mechanism. OJ L 130, 16.5.2023, p. 52–104. Available from: <u>http://data.europa.eu/eli/reg/2023/956/oj</u>.

<sup>(&</sup>lt;sup>2</sup>) Commission Implementing Regulation (EU) 2023/1773 of 17 August 2023 laying down the rules for the application of Regulation (EU) 2023/956 of the European Parliament and of the Council as regards reporting obligations for the purposes of the carbon border adjustment mechanism during the transitional period. OJ L228, 15.9.2023, p. 94–195. Available from: <u>https://eur-lex.europa.eu/eli/reg/2023/1773/oj</u>.

As of 1 January 2025, the implementing regulation provides that only the EU method will be accepted. The Commission will assess this in view of the experience during the first 4 reporting periods.

In order to help declarants with their reporting obligations, additional simplifications or facilities have been integrated (or will be integrated soon) in the online dedicated reporting tool, the CBAM transitional registry. Some of them are the following:

- Option for recording emission data of a specific good to be reused in subsequent reports (feasible from the second quarterly report in April 2024)
- Option for reconducting the previous report updating the imported quantities
- Option for reporting data based on an XML file to allow reporting declarants automatise their own process to reuse previous reports data whenever appropriate
- Clarification that for operators, the default reporting period is twelve months to allow them to collect representative data that reflects an installation's annual operations. The twelve-month reporting period may be either a calendar year or alternatively a fiscal year. However, operators may also choose an alternative reporting period, of a least three months, if the installation participates in an eligible MRV system and the reporting period coincides with the requirements of that MRV system.

Access to the CBAM transitional registry should be requested through the National Competent Authority (NCA) of the Member State in which the importer is established.

Default values play a specific role in CBAM implementation during the transitional period as presented in the next sections:

- Section 2 of this document outlines the use of default values for CBAM goods other than electricity
- Section 3 of this document outlines the use of default values for determining indirect emissions embedded in CBAM goods other than electricity
- Section 4 of this document outlines the use of default values for electricity as CBAM good

The European Commission has also issued two written guidance documents to help importers and installation operators outside the EU to navigate the transitional period (1 October 2023 - 31 December 2025) with the reporting obligations. These guidance documents are updated regularly.

#### 2 DEFAULT VALUES FOR CBAM GOODS OTHER THAN ELECTRICITY IN THE TRANSITIONAL CBAM PERIOD

## 2.1 General

Whilst the general approach for imported CBAM goods other than electricity is that declarants will have to report based on actual embedded emissions according to the monitoring methodology that is laid out in Implementing Regulation (EU) 2023/1773 (with the flexibilities mentioned above), Default values do play a specific role in CBAM implementation during the transitional period in particular if importers do not have all the necessary information:

- i. During the three first quarterly reports (Q4 of 2023 and Q1&2 of 2024), declarants may report embedded emission based on default values made available and published by the European Commission without quantitative limit
- ii. From Q3 of 2024 and until the end of 2025, declarants can still report emissions based on estimations but only for complex goods and with a limit of 20% of the total embedded emissions. Using default values would qualify as 'estimation'.

This section of the document provides the default values for CBAM goods other than electricity that may be used for reporting embedded emissions during the transitional CBAM period until 31 December 2025, under the conditions listed above. Declarants should use them when they do not have or are not able to report actual emissions. These default values will be regularly revised, from the first reporting quarter, to take into account the data collected in that first reporting period as well as feedback from both the EU industry and from non-EU producers of CBAM goods.

The values in this section represent a 'world' average, weighted by production volumes. They are based on estimations on embedded emissions in CBAM goods (i.e. iron and steel, cement, fertilisers and aluminium) as carried out by the Commission's Joint Research Centre (JRC). The emission intensities were estimated for different countries through a transparent methodology on the basis of publicly available data. The JRC study<sup>3</sup> focused on the EU's main trading partners, covering around 15 to 20 countries for each sector in the CBAM scope. The default values for hydrogen are based on a separate JRC report<sup>4</sup>, published in November 2023.

The default values in this section apply independently of the country of origin of the CBAM goods and only until the end of the transitional period on 31 December 2025. From 2026 onwards, another set of default values will apply. Those values will be set at the average emission intensity of each exporting country, increased by a proportionately designed mark-up. Those default values will be determined through an implementing act planned for adoption in 2025.

<sup>(&</sup>lt;sup>3</sup>) Vidovic, D., Marmier, A., Zore, L. and Moya, J., Greenhouse gas emission intensities of the steel, fertilisers, aluminium and cement industries in the EU and its main trading partners, Publications Office of the European Union, Luxembourg, 2023, doi: 10.2760/359533, JRC134682. Available from: https://publications.jrc.ec.europa.eu/repository/handle/JRC134682.

<sup>(4)</sup> Dolci, F. and Arrigoni, A., Estimation of the global average GHG emission intensity of hydrogen production, Publications Office of the European Union, Luxembourg, 2023, doi:10.2760/744837, JRC135067. Available from: https://publications.jrc.ec.europa.eu/repository/handle/JRC135067.

The sector tables below give default values at the 4, 6 and 8-digit CN code level<sup>5</sup> for use in the transitional CBAM period.

- Default values given at a 4-digit CN code level apply to all goods falling within this 4-digit CN code category.
- Default values supplied at a 6-digit CN code level apply to all goods falling within this 6-digit CN code category.
- Default values supplied at an 8-digit CN code level only apply to the specific goods listed under the 8-digit CN code.

Default values are given in tonnes of  $CO_2e$  emissions per tonne of goods. If a row in the table contains several CN codes, but only one set of default values (i.e. one direct, one indirect and one total), those default values apply to all CN codes in that row.

<sup>(&</sup>lt;sup>5</sup>) Commission Implementing Regulation (EU) 2020/1577 of 21 September 2020 amending Annex I to Council Regulation (EEC) No 2658/87 on the tariff and statistical nomenclature and on the Common Customs Tariff. OJ L 361, 30.10.2020, p.1–1063. Available from: <u>https://eurlex.europa.eu/eli/reg/2020/1577/oj</u>.

| Aggregated        |                          | <b>D</b>  | Default values<br>(tonne CO2e/tonne goods) |                       |                    |  |
|-------------------|--------------------------|---|--|-----------------------|--------------------|--|
| goods<br>category | CN code                  | Description   | Direct<br>emissions                        | Indirect<br>emissions | Total<br>emissions |  |
| Sintered<br>Ore   | 2601 12 00               | Agglomerated iron ores and<br>concentrates, other than roasted<br>iron pyrites                    | 0,31                                       | 0,05                  | 0,36               |  |
| Pig iron          | 7201                     | Pig iron and spiegeleisen in pigs,<br>blocks or other primary forms                               | 1,90                                       | 0,17                  | 2,07               |  |
| FeMn              | 7202 1                   | Ferro-manganese   | 1,44                                       | 2,08                  | 3,51               |  |
| FeCr              | 7202 4                   | Ferro-chromium  | 2,076                                      | 3,38                  | 5,45               |  |
| FeNi              | 7202 6                   | Ferro-nickel  | 3,486                                      | 2,81                  | 6,26               |  |
| DRI               | 7203                     | Ferrous products obtained by<br>direct reduction of iron ore and<br>other spongy ferrous products | 4,81                                       | 0,00                  | 4,81               |  |
| Crude steel       | 7206                     | Iron and non-alloy steel in ingots<br>or other primary forms<br>(excluding iron of heading 7203)  |  | See below             |                    |  |
|                   | 7206 10 00               | Ingots  | 2,52                                       | 0,23                  | 2,75               |  |
|                   | 7206 90 00               | Other   | 1,97                                       | 0,23                  | 2,20               |  |
|                   | 7207                     | Semi-finished products of iron or non-alloy steel   |  | See below             | W                  |  |
|                   | 7207 11 11               | Of free-cutting steel   |  |                       |                    |  |
|                   | 7207 11 14               | Of a thickness not exceeding 130  |  |                       |                    |  |
|                   | 7207 11 16               | mm<br>Of a thickness exceeding 130<br>mm  |  |                       |                    |  |
|                   | 7207 12 10               | Rolled or obtained by continuous casting  |  |                       |                    |  |
|                   | 7207 19 12               | Rolled or obtained by continuous casting  |  |                       |                    |  |
|                   | 7207 19 80               | Other   | 1,89                                       | 0,32                  | 2,21               |  |
|                   | 7207 20 11<br>7207 20 15 | Of free-cutting steel<br>0,25 % or more but less than 0,6   |  |                       |                    |  |
|                   | 7207 20 17               | % of carbon<br>0,6 % or more of carbon  |  |                       |                    |  |
|                   | 7207 20 17               | Rolled or obtained by continuous casting  |  |                       |                    |  |
|                   | 7207 20 52               | Rolled or obtained by continuous casting  |  |                       |                    |  |
|                   | 7207 20 80               | Other   |  |                       |                    |  |
|                   | 7207 11 90               |   |  |                       |                    |  |
|                   | 7207 11 90               |   |  |                       |                    |  |
|                   | 7207 12 90               |   | <b>A</b>                                   | 0.55                  | 2.25               |  |
|                   | 7207 20 19               | Forged  | 2,65                                       | 0,62                  | 3,27               |  |
|                   | 7207 20 39               |   |  |                       |                    |  |
|                   | 7207 20 59               |   |  |                       |                    |  |

# 2.2 Default values for the transitional period for iron and steel

<sup>6</sup> The value is based on the constant GHG emission intensity value given for individual countries in the JRC study<sup>3</sup>. This corrects a small inconsistency detected for the weights that were applied for calculating the weighted average values in that report.

| Aggregated                |                          |   | Default values<br>(tonne CO2e/tonne goods) |                       |                    |  |
|---------------------------|--------------------------|---|--|-----------------------|--------------------|--|
| goods<br>category         | CN code                  | Description   | Direct<br>emissions                        | Indirect<br>emissions | Total<br>emissions |  |
|                           | 7218                     | Stainless steel in ingots or other<br>primary forms; semi-finished<br>products of stainless steel   |  | See below             | v                  |  |
|                           | 7218 10 00               | Ingots and other primary forms  |  |                       |                    |  |
|                           | 7218 99 19<br>7218 99 80 | Forged  | 2,51                                       | 2,10                  | 4,61               |  |
|                           | 7218 91                  | Of rectangular (other than square) cross-section  |  |                       |                    |  |
|                           | 7218 99 11               | Rolled or obtained by continuous casting  | 2,18                                       | 1,90                  | 4,08               |  |
|                           | 7218 99 20               | Rolled or obtained by continuous casting  |  |                       |                    |  |
|                           | 7224                     | Other alloy steel in ingots or<br>other primary forms; semi-<br>finished products of other alloy<br>steel   |  | See below             | V                  |  |
|                           | 7224 10                  | Ingots and other primary forms  |  |                       |                    |  |
|                           | 7224 90 18<br>7224 90 90 | Forged  | 2,41                                       | 0,79                  | 3,20               |  |
|                           | 7224 90 02               | Of tool steel   |  |                       |                    |  |
|                           | 7224 90 03<br>7224 90 05 | Of high-speed steel<br>Containing by weight not more<br>than 0,7 % of carbon, 0,5 % or<br>more but not more than 1,2 % of<br>manganese and 0,6 % or more<br>but not more than 2,3 % of<br>silicon; containing by weight<br>0,0008 % or more of boron with<br>any other element less than the<br>minimum content | 1,95                                       | 0,40                  | 2,35               |  |
|                           | 7224 90 07<br>7224 90 14 | Other   |  |                       |                    |  |
|                           | 7224 90 31               | Containing by weight not less<br>than 0,9 % but not more than<br>1,15 % of carbon, not less than<br>0,5 % but not more than 2 % of<br>chromium and, if present, not<br>more than 0,5 % of molybdenum  |  |                       |                    |  |
|                           | 7224 90 38               | Other   |  |                       |                    |  |
| Iron or steel<br>products | 7205                     | Granules and powders, of pig<br>iron, spiegeleisen, iron or steel<br>(if not covered under category<br>pig iron)  | 1,90                                       | 0,17                  | 2,07               |  |
|                           | 7208                     | Flat-rolled products of iron or non-alloy steel, of a width of  | 2,01                                       | 0,27                  | 2,28               |  |

| Aggregated        |                       | <b>D</b>  |                     | Default value<br>e CO2e/tonne |                   |
|-------------------|-----------------------|---|---------------------|-------------------------------|-------------------|
| goods<br>category | CN code               | Description   | Direct<br>emissions | Indirect<br>emissions         | Total<br>emission |
|                   |                       | 600 mm or more, hot-rolled, not clad, plated or coated  |                     |                               |                   |
|                   | 7209                  | Flat-rolled products of iron or<br>non-alloy steel, of a width of<br>600 mm or more, cold-rolled<br>(cold-reduced), not clad, plated<br>or coated                           | 2,03                | 0,36                          | 2,39              |
|                   | 7210                  | Flat-rolled products of iron or<br>non-alloy steel, of a width of<br>600 mm or more, clad, plated or<br>coated  | 1,97                | 0,39                          | 2,35              |
|                   | 7211                  | Flat-rolled products of iron or<br>non-alloy steel, of a width of less<br>than 600 mm, not clad, plated or<br>coated  |                     | See below                     |                   |
|                   | 7211 13 00            | Rolled on four faces or in a<br>closed box pass, of a width<br>exceeding 150 mm and a<br>thickness of not less than 4 mm,<br>not in coils and without patterns<br>in relief | 2,01                | 0,27                          | 2,28              |
|                   | 7211 14 00            | Other, of a thickness of 4,75 mm<br>or more   |                     |                               |                   |
|                   | 7211 19 00<br>7211 23 | Other<br>Containing by weight less than   |                     |                               |                   |
|                   | 7211 29 00<br>7211 90 | 0,25 % of carbon<br>Other   | 2,03                | 0,36                          | 2,39              |
|                   | 7212                  | Flat-rolled products of iron or<br>non-alloy steel, of a width of less<br>than 600 mm, clad, plated or<br>coated  | 1,97                | 0,39                          | 2,35              |
|                   | 7213                  | Bars and rods, hot-rolled, in<br>irregularly wound coils of iron or<br>non-alloy steel  | 1,89                | 0,32                          | 2,21              |
|                   | 7214                  | Bars and rods of iron or non-<br>alloy steel, not further worked<br>than forged, hot-rolled, hot<br>drawn or hot-extruded, but<br>including those twisted after<br>rolling  |                     | See below                     |                   |
|                   | 7214 10 00            | Forged  | 2,65                | 0,62                          | 3,27              |
|                   | 7214 20 00            | Containing indentations, ribs,<br>grooves or other deformations<br>produced during the rolling<br>process or twisted after rolling  | 1.00                | 0.22                          | 0.01              |
|                   | 7214 30 00<br>7214 91 | Other, of free-cutting steel<br>Of rectangular (other than  | 1,89                | 0,32                          | 2,21              |
|                   | 7214 99               | square) cross-section<br>Other  |                     |                               |                   |
|                   | 7214 99               | Other bars and rods of iron or<br>non-alloy steel   | 1,89                | 0,32                          | 2,21              |
|                   | 7216                  | Angles, shapes and sections of iron or non-alloy steel  | 1,89                | 0,32                          | 2,21              |

| Aggregated        |                    | <b>b</b>   | Default values<br>(tonne CO <sub>2</sub> e/tonne goods) |                       |                   |
|-------------------|--------------------|--|---|-----------------------|-------------------|
| goods<br>category | CN code            | Description  | Direct<br>emissions                                     | Indirect<br>emissions | Total<br>emission |
|                   | 7217               | Wire of iron or non-alloy steel  |   | See below             |                   |
|                   | 7217 10            | Not plated or coated, whether or not polished  | 1,88  | 0,49                  | 2,37              |
|                   | 7217 20            | Plated or coated with zinc   |   |                       |                   |
|                   | 7217 30            | Plated or coated with other base   | 1,95  | 0,51                  | 2,46              |
|                   | 7217 90            | metals<br>Other  | ,   | ,                     | ,                 |
|                   | 7219               | Flat-rolled products of stainless<br>steel, of a width of 600 mm or<br>more                    |   | See below             |                   |
|                   | 7219 11 00         | Of a thickness exceeding 10 mm   |   |                       |                   |
|                   | 7219 12            | Of a thickness of 4,75 mm or more but not exceeding 10 mm                                      |   |                       |                   |
|                   | 7219 13            | Of a thickness of 3 mm or more but less than 4,75 mm   |   |                       |                   |
|                   | 7219 14            | Of a thickness of less than 3 mm   | 2,18  | 1,90                  | 4,08              |
|                   | 7219 21<br>7219 22 | Of a thickness exceeding 10 mm<br>Of a thickness of 4,75 mm or<br>more but not exceeding 10 mm |   |                       |                   |
|                   | 7219 23 00         | Of a thickness of 3 mm or more<br>but less than 4,75 mm  |   |                       |                   |
|                   | 7219 24 00         | Of a thickness of less than 3 mm   |   |                       |                   |
|                   | 7219 31 00         | Of a thickness of 4,75 mm or more  |   |                       | 4,19              |
|                   | 7219 32            | Of a thickness of 3 mm or more<br>but less than 4,75 mm  |   |                       |                   |
|                   | 7219 33            | Of a thickness exceeding 1 mm<br>but less than 3 mm<br>Of a thickness of 0,5 mm or             | 2,21  | 1,99                  |                   |
|                   | 7219 34            | of a thickness of 0,5 mm of<br>more but not exceeding 1 mm<br>Of a thickness of less than 0,5  |   |                       |                   |
|                   | 7219 35            | mm   |   |                       |                   |
|                   | 7219 90            | Other  |   |                       |                   |
|                   | 7220               | Flat-rolled products stainless<br>steel, of a width of less than<br>600 mm                     |   | See below             |                   |
|                   | 7220 11 00         | Of a thickness of 4,75 mm or more  | 2,18  | 1,90                  | 4,08              |
|                   | 7220 12 00         | Of a thickness of less than 4,75 mm  | _,  | -,, ,                 | .,                |
|                   | 7220 20            | Not further worked than cold-<br>rolled (cold-reduced)   | 2,21  | 1,99                  | 4,19              |
|                   | 7220 90            | Other<br>Bars and rods, hot-rolled, in   |   |                       |                   |
|                   | 7221               | irregularly wound coils, of stainless steel  | 2,14  | 2,17                  | 4,30              |
|                   | 7222               | Other bars and rods of stainless<br>steel; angles, shapes and sections<br>of stainless steel   |   | See below             |                   |
|                   | 7222 11<br>7222 19 | Of circular cross-section<br>Other   |   |                       |                   |
|                   | 7222 20            | Bars and rods, not further<br>worked than cold-formed or<br>cold-finished                      | 2,14  | 2,17                  | 4,30              |
|                   | 7222 40            | Angles, shapes and sections  |   |                       |                   |

| Aggregated<br>goods<br>category |                          |  | Default values<br>(tonne CO <sub>2</sub> e/tonne goods) |                       |                    |
|---------------------------------|--------------------------|--|---|-----------------------|--------------------|
|                                 | CN code                  | Description  | Direct<br>emissions                                     | Indirect<br>emissions | Total<br>emissions |
|                                 | 7222 30                  | Other bars and rods  | 2,51  | 2,10                  | 4,61               |
|                                 | 7223                     | Wire of stainless steel  |   | See below             |                    |
|                                 | 7223 00                  | Wire of stainless steel  | 2,13  | 2,36                  | 4,49               |
|                                 | 7225                     | Flat-rolled products of other<br>alloy steel, of a width of 600 mm<br>or more  |   | See below             |                    |
|                                 | 7225 11 00               | Grain-oriented   |   |                       |                    |
|                                 | 7225 19 10               | Hot-rolled   |   |                       |                    |
|                                 | 7225 30                  | Other, not further worked than hot-rolled, in coils  | 1,95  | 0,40                  | 2,35               |
|                                 | 7225 40                  | Other, not further worked than<br>hot-rolled, not in coils   |   |                       |                    |
|                                 | 7225 19 90<br>7225 50    | Cold-rolled<br>Other, not further worked than<br>cold-rolled (cold-reduced)  | 1,98  | 0,49                  | 2,46               |
|                                 | 7225 91 00               | Electrolytically plated or coated<br>with zinc   |   |                       |                    |
|                                 | 7225 92 00               | Otherwise plated or coated with zinc   | 1,92  | 0,51                  | 2,43               |
|                                 | 7225 99 00               | Other  |   |                       |                    |
|                                 | 7226                     | Flat-rolled products of other<br>alloy steel, of a width of less than<br>600 mm  |   | See below             |                    |
|                                 | 7226 11 00               | Grain-oriented   |   |                       |                    |
|                                 | 7226 19 10               | Not further worked than hot-<br>rolled   | 1,95  | 0,40                  | 2,35               |
|                                 | 7226 20 00<br>7226 91    | Of high-speed steel<br>Not further worked than hot-  | 1,70  | 0,10                  | 2,00               |
|                                 | 7226 10 20               | rolled<br>Other  |   |                       |                    |
|                                 | 7226 19 80<br>7226 92 00 | Not further worked than cold-<br>rolled (cold-reduced)   | 1,98  | 0,49                  | 2,46               |
|                                 | 7226 99                  | Other  | 1,92  | 0,51                  | 2,43               |
|                                 | 7227                     | Bars and rods, hot-rolled, in<br>irregularly wound coils, of other<br>alloy steel  | 1,86  | 0,57                  | 2,43               |
|                                 | 7228                     | Other bars and rods of other<br>alloy steel; angles, shapes and<br>sections, of other alloy steel;<br>hollow drill bars and rods, of<br>alloy or non-alloy steel |   | See below             |                    |
|                                 | 7228 10 20               | Not further worked than hot-<br>rolled, hot-drawn or extruded;<br>hot-rolled, hot-drawn or<br>extruded, not further worked<br>than clad                          |   |                       |                    |
|                                 | 7228 10 90               | Other  | 1,86  | 0,57                  | 2,43               |
|                                 | 7228 20                  | Bars and rods, of silico-<br>manganese steel   | , -   | ,                     | , -                |
|                                 | 7228 30                  | Other bars and rods, not further<br>worked than hot-rolled, hot-<br>drawn or   |   |                       |                    |

| Aggregated<br>goods<br>category |   |  | Default values<br>(tonne CO <sub>2</sub> e/tonne goods) |                       |                    |  |
|---------------------------------|---|--|---|-----------------------|--------------------|--|
|                                 | CN code   | Description  | Direct<br>emissions                                     | Indirect<br>emissions | Total<br>emissions |  |
|                                 | 7228 50   | extruded<br>Other bars and rods, not further<br>worked than cold-formed or<br>cold-finished  |   |                       |                    |  |
|                                 | 7228 60<br>7228 70<br>7228 80 00  | Other bars and rods<br>Angles, shapes and sections<br>Hollow drill bars and rods   |   |                       |                    |  |
|                                 | 7228 80 00  | Forged   |   |                       |                    |  |
|                                 | 7228 40   | Other bars and rods, not further<br>worked than forged   | 2,41  | 0,79                  | 3,20               |  |
|                                 | 7229  | Wire of other alloy steel  | 1,84  | 0,75                  | 2,59               |  |
|                                 | 7301  | Sheet piling of iron or steel,<br>whether or not drilled, punched<br>or made from assembled<br>elements; welded angles, shapes<br>and sections, of iron or steel   | 2,03  | 0,36                  | 2,39               |  |
|                                 | 7302  | Railway or tramway track<br>construction material of iron or<br>steel, the following: rails, check-<br>rails and rack rails, switch<br>blades, crossing frogs, point rods<br>and other crossing pieces,<br>sleepers (cross-ties), fish-plates,<br>chairs, chair wedges, sole plates<br>(base plates), rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing<br>rails | 1,93  | 0,29                  | 2,21               |  |
|                                 | 7303 00   | Tubes, pipes and hollow profiles, of cast iron   | 2,21  | 0,35                  | 2,56               |  |
|                                 | 7304  | Tubes, pipes and hollow profiles,<br>seamless, of iron (other than cast<br>iron) or steel  |   | See below             |                    |  |
|                                 | 7304 11 00<br>7304 22 00<br>7304 24 00<br>7304 41 00<br>7304 49<br>7304 51<br>7304 59 | Of stainless steel<br>Drill pipe of stainless steel<br>Other, of stainless steel<br>Cold-drawn or cold-rolled (cold-<br>reduced)<br>Other<br>Cold-drawn or cold-rolled (cold-<br>reduced)<br>Other   | 1,86  | 0,35                  | 2,20               |  |
|                                 | 7304 19<br>7304 23 00<br>7304 29<br>7304 31   | Other<br>Other drill pipe<br>Other<br>Cold-drawn or cold-rolled (cold-<br>reduced)   | 1,93  | 0,29                  | 2,21               |  |
|                                 | 7304 39<br>7304 90 00   | Other  |   |                       |                    |  |
|                                 | 7305  | Other tubes and pipes (for<br>example, welded, riveted or<br>similarly closed), having circular<br>cross-sections, the external<br>diameter of which exceeds 406,4<br>mm, of iron or steel   | 2,03  | 0,36                  | 2,39               |  |

| Aggregated        | -                        | e Description   | Default values<br>(tonne CO2e/tonne goods) |                       |                   |
|-------------------|--------------------------|---|--|-----------------------|-------------------|
| goods<br>category | CN code                  |   | Direct<br>emissions                        | Indirect<br>emissions | Total<br>emission |
|                   | 7306                     | Other tubes, pipes and hollow<br>profiles (for example, open seam<br>or welded, riveted or similarly<br>closed), of iron or steel |  | See below             |                   |
|                   | 7306 11 00<br>7306 21 00 | Welded, of stainless steel  |  |                       |                   |
|                   | 7306 40 20               | Cold-drawn or cold-rolled (cold-reduced)  | 1,98                                       | 0,46                  | 2,44              |
|                   | 7306 61 10<br>7306 69 10 | Of stainless steel  |  |                       |                   |
|                   | 7306 19 00<br>7306 29 00 | Other   | 2.02                                       | 0.26                  | 2 20              |
|                   | 7306 30 12               | Cold-drawn or cold-rolled (cold-<br>reduced)  | 2,03                                       | 0,36                  | 2,39              |
|                   | 7306 30 18               | Other   | 2,01                                       | 0,27                  | 2,28              |
|                   | 7306 30 41<br>7306 30 49 | Plated or coated with zinc<br>Other   |  |                       |                   |
|                   | 7306 30 72               | Plated or coated with zinc  |  | 0,39                  | 2,35              |
|                   | 7306 30 77               | Other   |  |                       |                   |
|                   | 7306 30 80               | Exceeding 168,3 mm but not exceeding 406,4 mm   | 1,97                                       |                       |                   |
|                   | 7306 61 92               | With a wall thickness not exceeding 2 mm  | 1,97                                       |                       |                   |
|                   | 7306 61 99               | With a wall thickness exceeding 2 mm  |  |                       |                   |
|                   | 7306 69 90<br>7306 90 00 | Other   |  |                       |                   |
|                   | 7306 40 80<br>7306 50 29 | Other   | 1,95                                       | 0,33                  | 2,28              |
|                   | 7306 50 21               | Cold-drawn or cold-rolled (cold-reduced)  | 1,97                                       | 0,41                  | 2,38              |
|                   | 7306 50 80               | Other   | <b>7</b>                                   | - /                   | y                 |
|                   | 7307                     | Tube or pipe fittings (for<br>example, couplings, elbows,<br>sleeves), of iron or steel   |  | See below             |                   |
|                   | 7307 11<br>7307 19 10    | Of non-malleable cast iron<br>Of cast iron  | 2,54                                       | 0,57                  | 3,11              |
|                   | 7307 19 90               | Other   | 0,61                                       | 1,05                  | 1,66              |
|                   | 7307 21 00               | Flanges   |  |                       |                   |
|                   | 7307 22                  | Threaded elbows, bends and sleeves  | 1,87                                       | 0,43                  | 2,30              |
|                   | 7307 23<br>7307 29       | Butt welding fittings<br>Other  |  |                       |                   |
|                   | 7307 91 00               | Flanges   |  |                       |                   |
|                   | 7307 92                  | Threaded elbows, bends and sleeves  | 1,93                                       | 0,29                  | 2,21              |
|                   | 7307 93                  | Butt welding fittings   | -,   | ~,=>                  | _,                |
|                   | 7307 99                  | Other   |  |                       |                   |
|                   | 7308                     | Structures (excluding<br>prefabricated buildings of<br>heading 9406) and parts of<br>structures (for example, bridges             | 2,46                                       | 2,55                  | 5,01              |

| Aggregated        |  |  | Default values<br>(tonne CO2e/tonne goods) |                       |                   |  |
|-------------------|--|--|--|-----------------------|-------------------|--|
| goods<br>category | CN code  | Description  | Direct<br>emissions                        | Indirect<br>emissions | Total<br>emission |  |
|                   |  | towers, lattice masts, roofs,<br>roofing frameworks, doors and<br>windows and their frames and<br>thresholds for doors, shutters,<br>balustrades, pillars and columns),<br>of iron or steel; plates, rods,<br>angles, shapes, sections, tubes<br>and the like, prepared for use in<br>structures, of iron or steel |  |                       |                   |  |
|                   | 7309   | Reservoirs, tanks, vats and<br>similar containers for any<br>material (other than compressed<br>or liquefied gas), of iron or steel,<br>of a capacity exceeding 300 l,<br>whether or not lined or heat-<br>insulated, but not fitted with<br>mechanical or thermal equipment                                       | 1,97                                       | 0,39                  | 2,35              |  |
|                   | 7310   | Tanks, casks, drums, cans, boxes<br>and similar containers, for any<br>material (other than compressed<br>or liquefied gas), of iron or steel,<br>of a capacity not exceeding 300<br>l, whether or not lined or heat-<br>insulated, but not fitted with<br>mechanical or thermal equipment                         | 1,97                                       | 0,39                  | 2,35              |  |
|                   | 7311 00  | Containers for compressed or<br>liquefied gas, of iron or steel  | 1,89                                       | 0,32                  | 2,21              |  |
|                   | 7318   | Screws, bolts, nuts, coach<br>screws, screw hooks, rivets,<br>cotters, cotter pins, washers<br>(including spring washers) and<br>similar articles, of iron or steel  |  | See below             |                   |  |
|                   | 7318 11 00<br>7318 12 90<br>7318 13 00<br>7318 14 91<br>7318 14 99<br>7318 14 99<br>7318 19 00<br>7318 21 00<br>7318 24 00<br>7318 29 00 | Coach screws<br>Other<br>Screw hooks and screw rings<br>Spaced-thread screws<br>Other<br>Spring washers and other lock<br>washers<br>Cotters and cotter pins<br>Other  | 1,89                                       | 0,32                  | 2,21              |  |
|                   | 7318 12 10<br>7318 14 10   | Of stainless steel   | 2,10                                       | 1,99                  | 4,10              |  |
|                   | 7318 15  | Other screws and bolts, whether<br>or not with their nuts or washers   | 1,89                                       | 0,32                  | 2,21              |  |
|                   | 7318 16  | Nuts   | 1,89                                       | 0,32                  | 2,21              |  |
|                   | 7318 22 00   | Other washers  | 1,89                                       | 0,32                  | 2,21              |  |
|                   | 7318 23 00   | Rivets   | 1,89                                       | 0,32                  | 2,21              |  |
|                   | 7326   | Other articles of iron or steel  |  | See below             |                   |  |

| Aggregated        |            | Description   | Default values<br>(tonne CO <sub>2</sub> e/tonne goods) |                       |                    |
|-------------------|------------|---|---|-----------------------|--------------------|
| goods<br>category | CN code    |   | Direct<br>emissions                                     | Indirect<br>emissions | Total<br>emissions |
|                   | 7326 11 00 | Grinding balls and similar articles for mills   |   |                       |                    |
|                   | 7326 19    | Other   | 2,65  | 0.62                  | 2 27               |
|                   | 7326 90 92 | Open-die forged   |   | 0,62                  | 3,27               |
|                   | 7326 90 94 | Closed-die forged   |   |                       |                    |
|                   | 7326 90 96 | Sintered  |   |                       |                    |
|                   | 7326 20 00 | Articles of iron or steel wire  | 1,95  | 0,51                  | 2,46               |
|                   | 7326 90 30 | Ladders and steps   |   |                       |                    |
|                   | 7326 90 40 | Pallets and similar platforms for handling goods  |   |                       | 2,21               |
|                   | 7326 90 50 | Reels for cables, piping and the like   | 1,89  | 0,32                  |                    |
|                   | 7326 90 60 | Non-mechanical ventilators,<br>guttering, hooks and like articles<br>used in the building<br>industry | -,02  |                       |                    |
|                   | 7326 90 98 | Other articles of iron or steel   | 1,97  | 0,39                  | 2,35               |

Source: JRC, 2023.<sup>3</sup>

| Aggregated          |            | Description   | Default values<br>(tonne CO2e/tonne goods) |                       |                    |  |
|---------------------|------------|---|--|-----------------------|--------------------|--|
| goods<br>category   | CN code    |   | Direct<br>emissions                        | Indirect<br>emissions | Total<br>emissions |  |
| Calcined<br>clay    | 2507 00 80 | Other kaolinic clays <sup>7</sup>                           | 0,23                                       | 0,08                  | 0,32               |  |
|                     |            | (nb: applicable for calcined clay only)                     |  |                       |                    |  |
| Cement<br>clinker   | 2523 10 00 | Cement clinkers <sup>8</sup>                                | 0,83                                       | 0,04                  | 0,87               |  |
| Cement              | 2523 21 00 | White Portland cement, whether or not artificially coloured | 1,16                                       | 0,10                  | 1,26               |  |
|                     | 2523 29 00 | Other Portland cement9                                      | 0,81                                       | 0,06                  | 0,87               |  |
|                     | 2523 90 00 | Other hydraulic cements <sup>10</sup>                       | 0,59                                       | 0,04                  | 0,63               |  |
| Aluminous<br>cement | 2523 30 00 | Aluminous cement <sup>11</sup>                              | 1,75                                       | 0,15                  | 1,90               |  |

#### 2.3 Default values for the transitional period for cement

Source: JRC, 2023.<sup>3</sup>

<sup>(&</sup>lt;sup>7</sup>) In the case of 'non-calcined clay' zero emissions may be indicated with clarification in the comments section of the report

<sup>(&</sup>lt;sup>8</sup>) The default values are based on the JRC estimates for grey cement clinkers.

<sup>(&</sup>lt;sup>9</sup>) The default values are based on the JRC estimates for grey Portland cement.

<sup>(&</sup>lt;sup>10</sup>) The default values are based on the JRC estimates for other grey hydraulic cements.

<sup>(&</sup>lt;sup>11</sup>) Also referred to as 'calcium aluminate cement'.

| Aggregated                       |            |   |                     | Default value<br>CO2e/tonne |                    |
|----------------------------------|------------|---|---------------------|-----------------------------|--------------------|
| goods<br>category<br>Nitric acid | CN code    | Description   | Direct<br>emissions | Indirect<br>emissions       | Total<br>emissions |
| Nitric acid                      | 2808 00 00 | Nitric acid; sulphonitric acids   | 2,56                | 0,05                        | 2,60               |
| Ammonia                          | 2814       | Ammonia, anhydrous or in aqueous solution   | 2,68                | 0,14                        | 2,82               |
| Mixed<br>fertilisers             | 2834 21 00 | Nitrates of potassium   | 1,82                | 0,06                        | 1,88               |
|                                  | 3102       | Mineral or chemical fertilisers, nitrogenous  |                     | See below                   |                    |
|                                  | 3102 10    | Urea, whether or not in aqueous solution  | 1,78                | 0,12                        | 1,9                |
|                                  | 3102 21 00 | Ammonium sulphate   | 0,86                | 0,09                        | 0,94               |
|                                  | 3102 29 00 | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate   | 1,54                | 0,10                        | 1,63               |
|                                  | 3102 30    | Ammonium nitrate, whether or not in aqueous solution  | 2,32                | 0,07                        | 2,39               |
|                                  | 3102 40    | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances                         | 1,77                | 0,06                        | 1,84               |
|                                  | 3102 50 00 | Sodium nitrate  | 3,99                | 0,07                        | 4,06               |
|                                  | 3102 60 00 | Double salts and mixtures of calcium nitrate and ammonium nitrate   | 1,87                | 0,08                        | 1,95               |
|                                  | 3102 80 00 | Mixtures of urea and ammonium<br>nitrate in aqueous or ammoniacal<br>solution   | 1,28                | 0,06                        | 1,34               |
|                                  | 3102 90 00 | Other including mixtures not<br>specified in the foregoing<br>subheadings <sup>12</sup>   | 1,65                | 0,10                        | 1,74               |
|                                  | 3105       | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium |                     | See below                   |                    |
|                                  | 3105 10 00 | Goods of this chapter in tablets or<br>similar forms or in packages of a<br>gross weight not exceeding 10 kg <sup>13</sup>      | 0,94                | 0,08                        | 1,02               |
|                                  | 3105 20    | Mineral or chemical fertilisers<br>containing the three fertilising<br>elements nitrogen, phosphorus and<br>potassium           | 1,23                | 0,11                        | 1,35               |
|                                  | 3105 30 00 | Diammonium<br>hydrogenorthophosphate<br>(diammonium phosphate)  | 0,69                | 0,06                        | 0,75               |

# 2.4 Default values for the transitional period for fertilisers

<sup>(&</sup>lt;sup>12</sup>) The default values are based on a weighted average of all other CBAM goods under CN 3102, with weighting according to the volumes of imports into the EU in 2019.

<sup>(&</sup>lt;sup>13</sup>) The default values are based on a weighted average of all other CBAM goods under CN 3105, with weighting according to the volumes of imports into the EU in 2019.

| Aggregated<br>goods<br>category | CN I       | Description  |                     | Default values<br>(tonne CO <sub>2</sub> e/tonne goods) |                    |  |
|---------------------------------|------------|--|---------------------|---|--------------------|--|
|                                 | CN code    | Description  | Direct<br>emissions | Indirect<br>emissions                                   | Total<br>emissions |  |
|                                 | 3105 40 00 | Ammonium<br>dihydrogenorthophosphate<br>(monoammonium phosphate) and<br>mixtures thereof with diammonium<br>hydrogenorthophosphate<br>(diammonium phosphate) | 0,44                | 0,05  | 0,49               |  |
|                                 | 3105 51 00 | Other mineral or chemical fertilisers<br>containing the two fertilising<br>elements nitrogen and phosphorus<br>(nitrates and phosphates)                     | 1,29                | 0,11  | 1,4                |  |
|                                 | 3105 59 00 | Other mineral or chemical fertilisers<br>containing the two fertilising<br>elements nitrogen and phosphorus<br>(other)                                       | 1,29                | 0,11  | 1,4                |  |
|                                 | 3105 90    | Other <sup>13</sup>  | 0,94                | 0,08  | 1,02               |  |

Source: JRC, 2023.<sup>3</sup>

| Aggregated<br>goods<br>category | CN code    |  | Default values<br>(tonne CO2e/tonne goods) |                       |                   |
|---------------------------------|------------|--|--|-----------------------|-------------------|
|                                 |            | Description  | Direct<br>emissions                        | Indirect<br>emissions | Total<br>emission |
| Unwrought<br>aluminium          | 7601       | Unwrought aluminium  | 2,36                                       | 8,14                  | 10,49             |
| Aluminium<br>products           | 7603       | Aluminium powders and flakes   | 2,48                                       | 8,4                   | 10,88             |
|                                 | 7604 10 10 | Bars and rods of aluminium, not alloyed  | 2,31                                       | 7,49                  | 9,80              |
|                                 | 7604 10 90 | Profiles of aluminium, not alloyed   | 2,73                                       | 9,30                  | 12,04             |
|                                 | 7604 21 00 | Hollow profiles of aluminium alloys  | 2,73                                       | 9,30                  | 12,04             |
|                                 | 7604 29 10 | Bars and rods of aluminium alloys  | 2,31                                       | 7,49                  | 9,80              |
|                                 | 7604 29 90 | Profiles of aluminium alloys   | 2,73                                       | 9,30                  | 12,04             |
|                                 | 7605       | Aluminium wire   | 2,31                                       | 7,49                  | 9,80              |
|                                 | 7606       | en         Unwrought aluminium         Aluminium powders and flakes         Bars and rods of aluminium, not alloyed         Profiles of aluminium, not alloyed         Hollow profiles of aluminium alloys         Bars and rods of aluminium alloys         Bars and rods of aluminium alloys         Profiles of aluminium alloys         Aluminium wire         Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm         Aluminium tubes and pipes         Aluminium structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, couplings, elbows, sleeves)         Aluminium structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminium plates, rods, profiles, tubes and the like, prepared for use in structures         Aluminium containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment         Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material |  | 9,25                  | 12,11             |
|                                 | 7607       | printed or backed with paper,<br>paperboard, plastics or similar<br>backing materials) of a thickness<br>(excluding any backing) not   | 2,86                                       | 9,25                  | 12,11             |
|                                 | 7608       | Aluminium tubes and pipes  | 2,73                                       | 9,30                  | 12,04             |
|                                 | 7609 00 00 | Profiles of aluminium alloys2,739,30Aluminium wire2,317,49Aluminium plates, sheets and strip,<br>of a thickness exceeding 0,2 mm2,869,25Aluminium foil (whether or not<br>printed or backed with paper,<br>paperboard, plastics or similar<br>backing materials) of a thickness<br>(excluding any backing) not<br>exceeding 0,2 mm2,869,25Aluminium tubes and pipes2,739,30Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)2,739,30Aluminium structures (excluding<br>prefabricated buildings of heading<br>9406) and parts of structures (for<br>example, bridges and bridge-<br>sections, towers, lattice masts, roofs,<br>roofing frameworks, doors and<br>thresholds for doors, balustrades,2,739,30   |  | 12,04                 |                   |
|                                 | 7610       | prefabricated buildings of heading<br>9406) and parts of structures (for<br>example, bridges and bridge-<br>sections, towers, lattice masts, roofs,<br>roofing frameworks, doors and<br>windows and their frames and<br>thresholds for doors, balustrades,<br>pillars and columns); aluminium<br>plates, rods, profiles, tubes and the<br>like, prepared for use in structures   | 2,73                                       | 9,30                  | 12,04             |
|                                 | 7611 00 00 | and similar containers, for any<br>material (other than compressed or<br>liquefied gas), of a capacity<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal<br>equipment   | 2,86                                       | 9,25                  | 12,11             |
|                                 | 7612       | boxes and similar containers<br>(including rigid or collapsible  | 2,86                                       | 9,25                  | 12,11             |

# 2.5 Default values for the transitional period for aluminium

| Aggregated<br>goods<br>category |                     | D 1/1  |                     | Default values<br>e CO2e/tonne goods) |                    |
|---------------------------------|---------------------|--|---------------------|---------------------------------------|--------------------|
|                                 | CN code Description |  | Direct<br>emissions | Indirect<br>emissions                 | Total<br>emissions |
|                                 |                     | gas), of a capacity not exceeding<br>300 litres, whether or not lined or<br>heat-insulated, but not fitted with<br>mechanical or thermal equipment                 |                     |                                       |                    |
|                                 | 7613 00 00          | Aluminium containers for<br>compressed or liquefied gas  | 2,86                | 9,25                                  | 12,11              |
|                                 | 7614                | Stranded wire, cables, plaited bands<br>and the like, of aluminium, not<br>electrically insulated  | 2,31                | 7,49                                  | 9,80               |
|                                 |                     |  |                     |                                       |                    |
|                                 | 7616                | Other articles of aluminium  |                     | See below                             |                    |
|                                 | 7616 10 00          | Nails, tacks, staples (other than<br>those of heading 8305), screws,<br>bolts, nuts, screw hooks, rivets,<br>cotters, cotter pins, washers and<br>similar articles | 2,86                | 9,25                                  | 12,11              |
|                                 | 7616 91 00          | Cloth, grill, netting and fencing, of aluminium wire   | 2,86                | 9,25                                  | 12,11              |
|                                 | 7616 99 10          | Other - Cast   | 2,48                | 8,40                                  | 10,88              |
|                                 | 7616 99 90          | Other - Other  | 2,86                | 9,25                                  | 12,11              |

Source: JRC, 2023.<sup>3</sup>

| Aggregated<br>goods<br>category | CN and a   | Description |             |  | Default values<br>ne CO2e/tonne goods) |      |  |
|---------------------------------|------------|-------------|-------------|--|--|------|--|
|                                 | CN code    |             | Description | Direct Indirect<br>emissions emissions | Total<br>emissions                     |      |  |
| Hydrogen                        | 2804 10 00 | Hydrogen    |             | 10,4                                   | 0,0                                    | 10,4 |  |

# 2.6 Default values for the transitional period for hydrogen

Source: JRC, 2023.<sup>4</sup>

## **3** DEFAULT VALUES FOR DETERMINING INDIRECT EMISSIONS EMBEDDED IN CBAM GOODS OTHER THAN ELECTRICITY IN THE TRANSITIONAL CBAM PERIOD

The general approach for determining embedded indirect emissions in CBAM goods other than electricity is to use default values for the emission factor for electricity. Indirect emissions are then calculated by multiplying those default values with the amount of electricity consumed to produce the respective CBAM goods.

The default values represent the average emission factors of the country of origin electricity grid, based on data from the International Energy Agency (IEA).<sup>14</sup> These data are not published in this document but are made available to reporting declarants through the CBAM Transitional Registry.

The default values in the CBAM Transitional Registry represent the 5-year average emission factors for electricity covering the years 2016 to 2020. They are provided for around 150 countries. If a default value is not available for a specific country, the Registry attributes the world average emission factor as provided by the IEA. In the case of a few countries, the IEA dataset does not contain emission factors for the years 2016 to 2020, due to the high share of renewable electricity in the electricity grid. In the case of these few countries, the default values are set to zero.

If a reporting declarant does not want to use the default values made available by the Commission, there is also the possibility to use any other emission factor of the country of origin electricity grid based on publicly available data representing either the average emission factor or the  $CO_2$  emission factor. Moreover, actual emission factors for electricity may be used in the case of a) a direct technical link between the installation in which the good is produced and the electricity generation source or b) a power purchase agreement between the consumer and the producer of the electricity for an amount of electricity that is equivalent to the amount for which the use of a specific value is claimed. Provisions on the use of emission factors other than those provided by the Commission can be found in Annex III, Section D.4 of Implementing Regulation (EU) 2023/1773.

The default values referred to in this section apply only until the end of the transitional period on 31 December 2025. From 2026 onwards, another set of default values will apply. Those values will be set as the average of:

- the emission factor of the Union electricity grid,
- the emission factor of the country of origin electricity grid, or
- the CO<sub>2</sub> emission factor of price-setting sources in the country of origin.

The default values for the determination of indirect emissions applicable from 2026 onwards will be determined through an implementing act planned for adoption in 2025.

<sup>(&</sup>lt;sup>14</sup>) International Energy Agency (IEA): Emission factors 2021.

# 4 DEFAULT VALUES FOR ELECTRICITY AS CBAM GOOD IN THE TRANSITIONAL CBAM PERIOD

The general approach for determining embedded direct emissions for electricity as CBAM good is to use default values for the  $CO_2$  emission factors.  $CO_2$  emission factor means the weighted average of the  $CO_2$  intensity of electricity produced from fossil fuels within a geographic area. Embedded direct emissions are then calculated by multiplying those default values with the amount of electricity imported into the EU.

The default values represent the average emission factors of the electricity produced from fossil fuels in the country of origin, based on data from the International Energy Agency (IEA).<sup>14</sup> These data are not published in this document but are made available to reporting declarants through the CBAM Transitional Registry.

The default values in the CBAM Transitional Registry represent the 5-year average  $CO_2$  emission factors covering the years 2016 to 2020. They are provided for around 15 countries, representing the countries from which electricity is currently exported to the EU or potentially in the near future.

Under certain conditions, other emission factors may be used, as specified in Annex III, Section D.2 of Implementing Regulation (EU) 2023/1773.

The default values referred to in this section apply only until the end of the transitional period on 31 December 2025. From 2026 onwards, another set of default values will apply. Those values will be set at the  $CO_2$  emission factor in the third country, group of third countries or region within a third country, based on the best data available to the Commission. They will be determined through an implementing act planned for adoption in 2025.

| Term                            | Definition   |  |  |
|---------------------------------|--|--|--|
| Actual emissions                | emissions calculated based on primary data from the<br>production processes of goods and from the production of<br>electricity consumed during those processes   |  |  |
| Aggregated goods<br>category    | a group of CBAM goods with their CN codes, used for the<br>purpose of defining system boundaries of production<br>processes  |  |  |
| CO <sub>2</sub> emission factor | weighted average of the CO <sub>2</sub> intensity of electricity produced from fossil fuels within a geographic area.  |  |  |
|                                 | With respect to the geographic area, the default values for the $CO_2$ emission factors for electricity as CBAM good referred to in this document refer to countries.  |  |  |
| Combined<br>nomenclature (CN)   | classification of goods, designed to meet the needs of: i) the<br>Common customs tariff, setting import duties for products<br>imported into the European Union (EU), as well as the<br>Integrated tariff of the European Communities (Taric),<br>incorporating all EU and trade measures applied to goods<br>imported into and exported out of the EU; ii) the<br>international trade statistics of the EU. |  |  |
|                                 | The CN provides the means of collecting, exchanging and<br>publishing data on EU international trade statistics. It is<br>also used for the collection and publication of international<br>trade statistics in intra-EU trade  |  |  |
| Default value                   | value that is calculated or drawn from secondary data,<br>which represents the embedded emissions in goods   |  |  |
| Direct emissions                | emissions from the production processes of goods including<br>emissions from the production of heating and cooling that<br>is consumed during the production processes, irrespective<br>of the location of the production of the heating and cooling   |  |  |
| Embedded emissions              | direct emissions released during the production of goods<br>and indirect emissions from the production of electricity<br>that is consumed during the production processes  |  |  |
| Emissions                       | release of greenhouse gases into the atmosphere from the production of goods   |  |  |
| Emission factor for electricity | default value, expressed in CO <sub>2</sub> e, representing the emission intensity of electricity consumed in production of goods  |  |  |
| Goods                           | goods listed in Annex I to the CBAM Regulation (EU) 2023/956   |  |  |
| Indirect emissions              | emissions from the production of electricity, which is<br>consumed during the production processes of goods,<br>regardless of the location of the production of the<br>consumed electricity  |  |  |
| Installation                    | a stationary technical unit where a production process is carried out  |  |  |
|                                 |  |  |  |

| Term                           | Definition   |  |  |
|--------------------------------|--|--|--|
| Operator                       | any person who operates or controls an installation in a third (i.e. non-EU) country   |  |  |
| Reporting declarant            | any of the following persons:  |  |  |
|                                | (a) the importer who lodges a customs declaration for release for free circulation of goods in its own name and o its own behalf;  |  |  |
|                                | (b) the person, holding an authorisation to lodge a customs declaration referred to in Article 182(1) of Regulation (EU) No 952/2013, who declares the importation of goods;   |  |  |
|                                | <ul> <li>(c) the indirect customs representative, where the customs declaration is lodged by the indirect customs representative appointed in accordance with Article 18 of Regulation (EU) No 952/2013, when the importer is established outside the Union or where the indirect custom representative has agreed to the reporting obligations in accordance with Article 32 of Regulation (EU) 2023/956</li> </ul> |  |  |
| Specific embedded<br>emissions | embedded emissions of one tonne of goods, expressed as tonnes of CO <sub>2</sub> e emissions per tonne of goods  |  |  |
| Tonne of CO <sub>2</sub> e     | one metric tonne of carbon dioxide (' $CO_2$ '), or an amoun<br>of any other greenhouse gas listed in Annex I to the CBA<br>Regulation with an equivalent global warming potential<br>(' $CO_2e'$ )  |  |  |